


Installation and Users Instructions



Model: E127S Fireplace Mantel

For use with E119R Electric Fire

PLEASE READ THIS MANUAL BEFORE INSTALLING AND USING THE APPLIANCE.

INSTALLER: DO NOT DISCARD THIS MANUAL – LEAVE WITH THE CUSTOMER


SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE.

Appliance Development Services Ltd

Tel 01723 583227

SECTION 1 DIMENSIONS


Dimensions in mm



SECTION 2 ASSEMBLY AND INSTALLATION

2.1 Unpack

- Open the package carefully and remove all pieces. Carefully inspect each part for any damage before you begin assembly.
- Make sure that you have all the parts listed below before assembling.



NOTE: left and right of product are distinguished by its front view.

No.	Name	Quantity	No.	Name	Quantity
1	Cam lock 	31	A	Top panel	1
2	Pin 	31	B	Curved LED panel	1
3	Φ8x40 dowels 	9	C	Second top panel	1
4	Washer 	12	D	Shelf panel	1
5	M6x30 screws 	12	E	Top shelf panel	1
6	Screwdriver 	1	F	Base panel	1
7	ST3.5*12 screws 	13	G	Right support panel	1
8	Rubber feet 	6	H	Left support panel	1
9	Cable clip 	10	I	Right shelf panel	1
10	Foam 	11	J	Left shelf panel	1
11	ST4*12 screw 	19	K	Back shelf panel	1
12	LED strip 	1	L	Right front panel	1
13	Connecting wire 	1	M	Left front panel	1
			N	Side panel	2

2.2 Before installation

Tools required: magnetic phillips screwdriver




2.3 Installation


NOTE!

- Assembly required by two adults.
- This fireplace suite must be fitted to the wall. Wall fixings are supplied with this mantel, but any other suitable concealed fixing may be used.
- Use manual screwdriver only.
- Use washer when fixing with screws. Do not overtighten bolts.
- Do not use other types or models of screws to prevent any screws that are too long causing damage to mantels.
- To prevent scratching the mantel, only fit the fire from the back of the fireplace.


Step 1:




Step 2:




Step 3:




Step 4:




Step 5:




Step 6:




Step 7:




Step 8:




Step 9:




Step 10:




Step 11:




Step 12:




Step 13:



Step 14:




Step 15:




Fix four brackets with eight ST4*10 screws on the fireplace, please note they are packed with fireplace.

Step 16:




Insert the fireplace from the back of the mantel, and fix with four M5*10 screws and four washers, please note they are packed with fireplace.

Step 17:



Step 18:



SECTION 3 CLEANING & MAINTAINENCE

- 1 Your fireplace mantel surface coating will give off a slight smell for a short period of time. Try to ventilate as much as possible during this time.
- 2 Daily cleaning: Clean the mantel surfaces with a soft, lint-free cloth. Do not use cleaning or polishing products and try to avoid heavy or sharp articles which may damage the surface.
- 3 Avoid long-term direct sunlight, and excessive temperatures and humidity to protect the life of your furniture surface.

Appliance Development Services Ltd

Bakers Court, Hopper Hill Road, Scarborough, N. Yorkshire. YO11 3YS
Tel 01723 583227