


Installation and Users Instructions



Model: E112S Fireplace Mantel

For use with E112RML – 2KW Electric Fire

PLEASE READ THIS MANUAL BEFORE INSTALLING AND USING THE APPLIANCE.

INSTALLER: DO NOT DISCARD THIS MANUAL – LEAVE WITH THE CUSTOMER


SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE.

Appliance Development Services Ltd

Tel 01723 583227

SECTION 1 DIMENSIONS


Dimensions in mm



SECTION 2 ASSEMBLY AND INSTALLATION

2.1 Unpack

- Open the package carefully and remove all pieces. Carefully inspect each part for any damage before you begin assembly.
- Make sure that you have all the parts listed opposite before assembling.



NOTE: left and right of product are distinguished by its front view.
Inner top panel (D) and inner side panels (I) can be installed reversibly. Depending on chosen colour.

No.	Name	Quantity
A	Top panel	1
B	Mood light panel	1
C	Top inlay panel	1
D	Inner top panel	1
E	Base panel	1
F	Side panel	2
G	Right panel	1
H	Right inlay panel	1
I	Inner side panel	2
J	Left inlay panel	1
K	Left panel	1
L	M6x12 screws 	4+1
M	M6x25 screws 	20+1
N	Φ8x30 dowels 	10+1
O	Pin 	20+1
P	Cam lock 	20+1
Q	Washer 	20+1
R	Rubber feet 	6
S	Flat bracket 	2+1

2.2 Before installation

Tools required: magnetic phillips screwdriver




2.3 Installation


NOTE!

- Assembly required by two adults.
- Use manual screwdriver only.
- Use washer when fixing with screws. Do not overtighten bolts.
- Do not use other types or models of screws, to prevent any screws that are too long causing damage to mantels.


Step 1:




Step 2:




Step 3:




Step 4:




Step 5:




Step 6:




Step 7:




Step 8:




Step 9:




Step 10:




Step 11:




Step 12:




Step 13:




Step 14:



Step 15:



Step 16:



SECTION 3 CLEANING & MAINTAINENCE

- 1 Your fireplace mantel surface coating will give off a slight smell for a short period of time. Try to ventilate as much as possible during this time.
- 2 Daily cleaning: Clean the mantel surfaces with a soft, lint-free cloth. Do not use cleaning or polishing products and try to avoid heavy or sharp articles which may damage the surface.
- 3 Avoid long-term direct sunlight, and excessive temperatures and humidity to protect the life of your furniture surface.

Appliance Development Services Ltd

Bakers Court, Hopper Hill Road, Scarborough, N. Yorkshire. YO11 3YS

Tel 01723 583227